



# Power Tools Programme 2009 / 2010



**BOSCH**

Invented for life





**Robert Bosch**

Robert Bosch gave the company his vision and created values that still apply today. He believed that success was based on the trust of business partners and product quality. His mottos were "Selling the best of the best" and "I rather lose money than trust"

**New!** Cordless Drill/Screwdriver  
GSR 10.8 V LIQ Professional



14" Cut Off Machine  
GCO 2000 Professional

**New!** Rotary Hammer  
GBH 4-32 DFR Professional



The Demolition Hammer  
GSH 16 Professional



## Key To Symbols



Double Insulation/Full Insulation



Rotation Stop



Electronic Control



Constant-Electronic



Reversing Operation



Safety Clutch



Spindle Lock



Saw Blade Pendulum Action



Dust Extraction



SDS-Plus Quick Exchange System



SDS-Clic Quick Clamping System



SDS-Max Quick Exchange System



Velcro Fastening



## Drill

### GBM 6 RE



**Capacity**

Power Input	: 350 W
In Steel	: 6.5 mm
In Aluminium	: 6 mm
In Wood	: 15 mm
No-load Speed	: 0-4,000 rpm
Weight	: 1.1 kg

### GBM 10/GBM 10 RE



**Capacity**

Power Input	: 450 W
In Steel	: 10 mm
In Aluminium	: 10 mm
In Wood	: 25 mm
No-load Speed	: 0-2,600 rpm
Weight	: 1.3 kg

### GBM 13 RE



**Capacity**

Power Input	: 600 W
In Steel	: 13 mm
In Aluminium	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0-2,600 rpm
Weight	: 1.65 kg

### GSB 10/GSB 10 RE



**Capacity**

Power Input	: 500 W
In Masonry	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-load Speed	: 0-2,600 rpm
Weight	: 1.5 kg

## Screwdriver

### GSB 13 RE



**Capacity**

Power Input	: 600 W
In Masonry	: 13 mm
In Steel	: 10 mm
In Wood	: 25 mm
No-load Speed	: 0-2,800 rpm
Weight	: 1.7 kg

### GSB 16 RE



**Capacity**

Power Input	: 701 W
In Masonry	: 16 mm
In Steel	: 12 mm
In Wood	: 30 mm
No-load Speed	: 0-3,000 rpm
Weight	: 1.9 kg

### GSR 6-25TE



**Capacity**

Power Input	: 701 W
Self-Tapping Screws	: up to 6 mm diameter
No-load Speed	: 0-2,500/0-4,500 rpm
Weight	: 1.35 kg

## Cordless Drill/Screwdriver

### IXO 3.6 V



**Capacity**

Max. Screw Dia.	: 5mm
No-load Speed	: 180 rpm
Cell Voltage	: 3.6V
Weight	: 0.3 kg

### GSR 9.6-2



**Capacity**

Drilling Dia: In Steel	: 10 mm
In Wood	: 20 mm
Max. Screw Dia.	: 6 mm
No-load Speed	: 0-400/1,000 rpm
Battery Voltage	: 9.6 V/1.5 Ah
Weight	: 1.5 kg

### GSR 10.8V LIQ



**Capacity**

Drilling Dia: In Steel	: 8 mm
In Wood	: 10 mm
Max. Screw Dia.	: 6 mm
No-load Speed	: 0-500 rpm
Battery Voltage	: 10.8 V
Weight	: 0.8 kg

### GSR 12-2



**Capacity**

Drilling Dia: In Steel	: 12 mm
In Wood	: 23 mm
Max. Screw Dia.	: Up to 7 mm
No-load Speed	: 0-400/1,200 rpm
Battery Voltage	: 12 V/1.5 Ah
Weight	: 1.6 kg

## Rotary Hammer

### GBH 2-18 RE



**Capacity**

Power Input	: 550 W
In Concrete	: 18 mm
In Steel	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0-1,700 rpm
Impact Rate	: 0-4,500 bpm
Weight	: 1.9 kg

### GBH 2-22 RE



**Capacity**

Power Input	: 620 W
In Concrete	: 22 mm
In Steel	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0-1,000 rpm
Impact Rate	: 0-4,400 bpm
Weight	: 2.3 kg

### GBH 2-26 DRE



**Capacity**

Power Input	: 800 W
In Concrete	: 4-26 mm
In Steel	: Up To 13 mm
In Wood	: Up To 30 mm
No-load Speed	: 0-900 rpm
Impact Rate	: 0-4,400 bpm
Weight	: 2.7 kg

### GBH 3-28 E



**Capacity**

Power Input	: 720 W
Max. Bit Diameter	: 28 mm
Max. Core Bit Diameter	: 80 mm
No-load Speed	: 0-800 rpm
Impact Rate	: 0-4,000 bpm
Impact Force	: 0-3.3 J
Weight	: 3.3 kg

### GBH 4-32 DFR



**Capacity**

Power Input	: 900 W
In Concrete	: 90 mm
In Steel	: 13 mm
In Wood	: 13 mm
No-load Speed	: 0-760 rpm
Impact Rate	: 0-3,600 bpm
Weight	: 4.7 kg

### GBH 5-38 D



**Capacity**

Power Input	: 1,050 W
Max. Bit Diameter	: 38 mm
Max. Core Bit Diameter	: 90 mm
No-load Speed	: 340 rpm
Impact Rate	: 0-3,000 bpm
Weight	: 5.8kg

### GBH 7-46 DE



**Capacity**

Power Input	: 1,350 W
Max. Bit Diameter	: 45 mm
Max. Core Bit Diameter	: 150 mm
No-load Speed	: 145-280 rpm
Impact Rate	: 1,350-2,800 bpm
Impact Force	: 4-13 /15 J

## Demolition Hammer


### GSH 3 E



**Capacity**

Power Input	: 650 W
Impact Rate	: 0-3,500 bpm
Impact Force	: 4.3 J
Weight	: 3.6 kg

### GSH 388



**Capacity**

Power Input	: 1,050 W
Impact Rate	: 2,800 bpm
Impact Force	: 8-10 J
Weight	: 4.9 kg

## Straight Grinder

**GSH 11E**



**Capacity**

Power Input	: 1,500 W
Impact Rate	: 900-1,890 bpm
Impact Force	: 6-25 J
Weight	: 10.1 kg

**GSH 16-30**



**Capacity**

Power Input	: 1,750 W
Impact Rate	: 1,300 bpm
Impact Force	: 45 J
Weight	: 17.8 kg

**GSH 27**



**Capacity**

Power Input	: 1,900 W
Impact Rate	: 1,030 bpm
Impact Force	: 60 J
Weight	: 29 kg

**GG5 27**



**Capacity**

Power input	: 500 W
Collect	: 6 mm
Grinding Points (Diameter)	: Max. 25 mm
No-load Speed	: 27,000 rpm
Weight	: 1.4 kg

## Angle Grinder

**GG5 27 L**



**Capacity**

Power Input	: 500 W
Collet	: 6 mm
Grinding Points (Diameter)	: Max. 25 mm
No-load Speed	: 27,000 rpm
Weight	: 1.45 kg

**GWS 6-100**



**Capacity**

Power Input	: 670 W
Grinding/Cutting Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 60 mm
No-load Speed	: 11,000 rpm
Weight	: 1.4 kg

**GWS 7-100**



NEW



**Capacity**

Power Input	: 720 W
Grinding / Cutting Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

**GWS 8-100 C/GWS 8-100 CE**



**Capacity**

Power Input	: 860 W
Grinding / Cutting Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 60 mm
No-load Speed (GWS 8-100 C)	: 11,000 rpm
(GWS 8-100 CE)	: 2,800 - 11,000 rpm
Weight	: 1.5 kg

**GWS 11-125 CI/GWS 11-125 CIH**



**Capacity**

Power Input	: 1,100 W i/o 1,400 W
Grinding / Cutting Disc Diameter	: 125 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 11,000 rpm
Weight	: 1.8 kg

**GWS 20-180**



**Capacity**

Power input	: 2,000 W
Grinding / Cutting Disc Diameter	: 180 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 8,500 rpm
Weight	: 4.2 kg

**GWS 20-230**



**Capacity**

Power input	: 2,000 W
Grinding / Cutting Disc Diameter	: 230 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 6,500 rpm
Weight	: 5.6 kg

## Polisher

**GPO 14-E**



**Capacity**

Power input	: 1400 watts
Polishing/Buffering Diameter	: 7"
No-load Speed	: 700 - 2500 rpm
Weight	: 2kg

## Jigsaw

**GST 65/GST 65 E**



**Capacity**

Power Input	: 400 W
In Wood	: 65 mm
In Steel	: 3 mm
Stroke Rate at No-load	: 3,100 rpm
Weight	: 1.7 kg

**GST 80 PB/GST 80 PBE**



**Capacity**

Power Input	: 580 W
In Wood	: 80 mm
In Steel	: 10 mm
Stroke Rate at No-load	: 500 - 3,100 rpm
Weight	: 2.45 kg

**GKS 165**



**Capacity**

Power Input	: 1,050 W
Blade Diameter	: 165 mm
Max. Cutting Capacities	
at 90°	: 55 mm
at 45°	: 36 mm
No-load Speed	: 5,000 rpm
Weight	: 3.6 kg

**GKS 190**



**Capacity**

Power Input	: 1,050 W
Blade Diameter	: 190 mm
Max. Cutting Capacities	
at 90°	: 66 mm
at 45°	: 46 mm
No-load Speed	: 4,800 rpm
Weight	: 3.8 kg

## Circular Saw

## Cut Off Machine

**GKS 235**



**Capacity**

Power Input	: 2,100 W
Blade Diameter	: 235 mm
Max. Cutting Capacities	
at 90°	: 85 mm
at 45°	: 65 mm
No-load Speed	: 5,000 rpm
Weight	: 7.6 kg

**GCO 2000**



**Capacity**

Power Input	: 2,000 W
Blade Diameter	: 355 mm
Max. Cutting Capacities	
at 90°	: 120 mm
No-load Speed	: 3,500 rpm
Weight	: 15.8 kg

## Compound Miter Saw

**GCM 10**



**Capacity**

Power Input	: 1,800 W
Blade Size	: 254 mm
Arbour Size	: 25.4/30 mm
No-load Speed	: 4,500 rpm
Max. Miter	: 48° L / 49° R
Cutting Capacity	: 0° / 45°
Weight	: 15 kg

## Sabre Saw

**GSA 1100 E**



NEW



**Capacity**

Power Input	: 1,100 W
Stroke Length	: 28 mm
Stroke Rate at No Load	: 0-2,700 rpm
Weight	: 3.6 kg

## Planer

**GHO 10-82**



### Capacity

Power Input	: 710 W
Planing Width	: 82 mm
Planing Depth	: 0-3.0 mm
No-load Speed	: 16,500 rpm
Weight	: 2.5 kg

## Orbital Sander

**GSS 140 A**



### Capacity

Power Input	: 180 W
Orbit Rate	: 24,000 Opm
Base Size	: 113 x 105 mm
Orbit Diameter	: 1.6 mm
Weight	: 1.4 kg

**GSS 230**



### Capacity

Power Input	: 190 W
Orbit Rate	: 24,000 Opm
Sanding Plate	: 92 x 182 mm
Weight	: 1.7 kg

## Eccentric Sander

**GEX 125-1 AE**



### Capacity

Power Input	: 250 W
Orbit Rate	: 24,000 Opm
Sanding Plate Diameter	: 125 mm
Weight	: 1.3 kg

## Blower

**GBL 800 E**



### Capacity

Power Input	: 800 W
Speed	: 16,000 rpm
Air Volume	: 4.5m <sup>3</sup> / min
Weight	: 1.8 kg

## Mini Router / Trimmer

**GMR 1**



### Capacity

Power Input	: 550 W
Collet	: 6 mm or 1/4"
No-load Speed	: 33,000 rpm
Weight	: 1.5 kg

## Hot Air Gun

**GHG 600-3**



### Capacity

Power Input	: 1,800 W
Temperature	: 50/400/600°C
Air-flow	: 250/350/500 l/min
Weight	: 0.8 kg

**GHG 630 DCE**



### Capacity

Power Input	: 2,000 W
Temperature	: 50 - 630°C
Air-flow	: 150/300/500 l/min
Weight	: 0.9 kg

## Wet & Dry Vacuum Cleaner

**GAS 11-21**



### Capacity

Power input	: 1,100 W
Container Volume	: 21 litre
Air Flow Max	: 50 l/ sec
Volume	: 150 mbar
Hose Diameter	: 35 mm
Weight	: 6.3 kg

**GAS 50**



### Capacity

Power input	: 1,200 W
Container Volume	: 50 litre
Air Flow Max	: 39 l/sec
Volume	: 225 mbar
Hose Diameter	: 35 mm
Weight	: 16 kg

For further inquiries, please call Hotline: (63) 2 899-9091  
Mon - Fri 8am- 5pm

**Bosch Service Center**  
9725 & 9727 Kamagong Street, San Antonio Village,  
Makati City, Philippines  
Tel: (63) 2 899-9091 Fax: (63) 2 897-6432



# WARRANTY

This serves to inform all **Bosch** Power Tools are guaranteed against manufacturing defects for a period of 6 months from the registered date of purchase.  
This guarantee, however, does not cover damage caused by accident, misuse, unauthorized repairs, tampering, additions and modifications made to the tool in any manner.  
In case of complaint, please send the tool, undismantled and with proof of purchase by invoice or receipt of payment to **Bosch Power Tools Authorized Service Center**.

## AUTHORIZED SERVICE CENTERS

### METRO MANILA

INTERASEAN TRADE & ENTERPRISES  
537-539 Gonzalo Puyat St.,  
Sta. Cruz, Manila  
Tel: (632) 733-0130/37

MALIBANGA ENTERPRISES  
Door 4 - 326 Real St. Holy Family  
Talon Uno, Las Pinas City  
Tel: (632) 802-3592

### SOUTH LUZON

J.L. CALINGASAN ELECTRICAL  
National Rd., Sitio Kanluran  
Kumintang Ibaba, Batangas City  
Tel: (043) 312-2414

#26 Tambo Lipa City, Batangas  
Tel: (045) 756-7733

### NORTH LUZON

DL BAGUIO ELECTRONICS  
A-22 Adivay Bldg.  
Lower Bonifacio St., Baguio City  
Tel: (074) 442-2023

Quezon Avenue, Brgy. Catbangan  
Bugayon Bldg., San Fernando City, La Union  
Tel: (072) 700-0955

### VISAYAS

CHAMPION AGRO INDUSTRIAL CORP.  
Legaspi St., Cebu City  
Tel: (032) 256-2183

### MINDANAO

DMD ELECTRONICS  
823 Quezon Boulevard cor. Jacinto St.  
Davao City  
Tel: (082) 303-1185

Robert Bosch Inc.  
13th Floor L.V. Loatin Building,  
6752 Ayala Avenue corner Makati Avenue,  
1226 Makati City, Philippines  
Tel: (63) 2 817-7274    Local: 1807/1808    Fax: (63) 2 840-1838  
[www.bosch.com.ph](http://www.bosch.com.ph)    [www.powertool-portal.com](http://www.powertool-portal.com)



**BOSCH**  
Invented for life

While all care has been taken to ensure that the information contained in this publication is correct, no responsibility can be accepted for any inaccuracy.  
The Company reserves the right to alter or modify the information contained herein at any time in light of technical or other developments.  
Technical specifications are valid under normal operating conditions only.  
The company does not accept any responsibility for any misuse of the product and cannot be held liable for consequential damage.